

C
A
T
A
L
O
G
U
E
2
0
2
4



SAFETY FOOTWEAR

CONTENTS

PREMIUM SAFETY SHOES
ECONOMIC SAFETY SHOES
EXECUTIVE SAFETY SHOES
SPORTS SAFETY SHOES

CORE VI PREMIUM SAFETY SHOES



FEATURES

HIGH ANKLE CV 777

Catagory S3 SRC

Upper Water Repellent Leather

Toe Cap EN Standard Coated Steel Head (200J)

Midsole EN Standard Coated Steel Bottom(1100N)

Eyelets Metallic Anodized D- Ring

Lining High Quality 3D Air Mesh

Insole Highly Comfortable, Breathable & Washable

Outsole Dual Density Heat Resistant PU

European Standard Size : 38 - 47.

APPLICATIONS

Oil & Gas Industry
Facility Management
Basic Workplaces
Construction
Logistics
Mechanics
Electronic Factory
Mining & Food Industry



CORE VI PREMIUM SAFETY SHOES



FEATURES

LOW ANKLE CV 888

Catagory S3 SRC

Upper Water Repellent Leather

Toe Cap EN Standard Coated Steel Head (200J)

Midsole EN Standard Coated Steel Bottom(1100N)

Eyelets Metallic Anodized D- Ring

Lining High Quality 3D Air Mesh

Insole Highly Comfortable, Breathable & Washable

Outsole Dual Density Heat Resistant PU

European Standard Size : 38 - 47.

APPLICATIONS

Oil & Gas Industry
Facility Management
Basic Workplaces
Construction
Logistics
Mechanics
Electronic Factory
Mining & Food Industry



CORE VI MAGNUS PREMIUM SAFETY SHOES



FEATURES

- CORE VI MAGNUS HIGH ANKLE
Category S3
Upper Micro Fiber 3D Print Leather
Toe Cap Composite Toe Cap
Outsole Highly Flexible PU Sole
Midsole KEVLAR
Lining High Quality 3D Mesh
Insole Nonwoven Fabric
Laces Braided Shoelaces
European Standard Size : 38 - 47.



APPLICATIONS

Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

CORE VI MAGNUS PREMIUM SAFETY SHOES



FEATURES

- CORE VI MAGNUS LOW ANKLE
Category S3
Upper Micro Fiber 3D Print Leather
Toe Cap Composite Toe Cap
Outsole Highly Flexible PU Sole
Midsole KEVLAR
Lining High Quality 3D Mesh
Insole Nonwoven Fabric
Laces Braided Shoelaces
European Standard Size : 38 - 47.



APPLICATIONS

- Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

ONGUARD ABSOLUTE

SAFETY SHOES



FEATURES

HIGH ANKLE OG911

Catagory S3 SRC

Upper Water Repellent Leather

Toe Cap EN Standard Coated Steel Head (200J)

Midsole EN Standard Coated Steel Bottom(1100N)

Eyelets Metallic Anodized D- Ring

Lining High Quality 3D Air Mesh

Insole Highly Comfortable, Breathable & Washable

Outsole Dual Density Heat Resistant PU

European Standard Size : 38 - 47.

APPLICATIONS

Oil & Gas Industry
Facility Management
Basic Workplaces
Construction
Logistics, Mechanics
Chemical Factory
Electronic Factory
Mining & Food Industry



ONGUARD ABSOLUTE

SAFETY SHOES



FEATURES

LOW ANKLE OG912

Catagory S3 SRC

Upper Water Repellent Leather

Toe Cap EN Standard Coated Steel Head (200J)

Midsole EN Standard Coated Steel Bottom(1100N)

Eyelets Metallic Anodized D- Ring

Lining High Quality 3D Air Mesh

Insole Highly Comfortable, Breathable & Washable

Outsole Dual Density Heat Resistant PU

European Standard Size : 38 - 47.

APPLICATIONS

Oil & Gas Industry
Facility Management
Basic Workplaces
Construction
Logistics, Mechanics
Chemical Factory
Electronic Factory
Mining & Food Industry



GRIT

ECONOMIC SAFETY SHOES



FEATURES

HIGH ANKLE GT101

Breathable Genuine Leather With Cool Comfort Techniue

Heavy Duty PU Sole With Broad Steel Toe & Flexible Steel Mid PLate

Breathable and Abrasion Resistant Sandwich Lining

Oil and Acid Resistant

Energy Absorbing Heels

Abrasion and Penetration Resistant

Padded Insole

European Stanadrd Size : 38- 47.



APPLICATIONS

Basic Workplaces

Construction

Logistics, Mechanics

Chemical Factory

Electronic Factory

Mining

Food Industries

GRIT

ECONOMIC SAFETY SHOES



FEATURES

LOW ANKLE GT102

Breathable Genuine Leather With Cool Comfort Techniue

Heavy Duty PU Sole With Broad Steel Toe & Flexible Steel Mid PLate

Breathable and Abrasion Resistant Sandwich Lining

Oil and Acid Resistant

Energy Absorbing Heels

Abrasion and Penetration Resistant

Padded Insole

European Standard Size : 38- 47.



APPLICATIONS

Basic Workplaces

Construction

Logistics, Mechanics

Chemical Factory

Electronic Factory

Mining

Food Industries

SAFETYPLUS

ECONOMIC SAFETY SHOES



FEATURES

HIGH ANKLE SP701

Upper Leather

Toe Cap Steel

Midsole Steel

Insole EVA

Outsole PU

Eyelets Metal Eyelets

Lining Cambrella Lining

European Standard Size : 38 - 47.



APPLICATIONS

Oil & Gas Industry

Basic Workplaces

Construction

Logistics, Mechanics

Chemical Factory

Electronic Factory

Mining & Food Industry

SAFETYPLUS

ECONOMIC SAFETY SHOES



FEATURES

LOW ANKLE SP702

Upper Leather

Toe Cap Steel

Midsole Steel

Insole EVA

Outsole PU

Eyelets Metal Eyelets

Lining Cambrella Lining

European Standard Size : 38 - 47.



APPLICATIONS

Oil & Gas Industry

Basic Workplaces

Construction

Logistics, Mechanics

Chemical Factory

Electronic Factory

Mining & Food Industry

ELAN NM780 EXECUTIVE SAFETY SHOES



FEATURES

Category	S3 WRU / SRC / HRO
Upper	High Quality Smooth Leather
Toe Cap	Composite Toe Cap
Outsole	Flexible Heat Resistant Double Density PU Sole
Midsole	KEVLAR
Eyelets	ABS Eyelets
Lining	High Quality 3D Mesh
Insole	Nonwoven Fabric
Counter	Reinforced Leather
Threds	3PLY / 6PLY Nylon
Laces	Nylon

European Standard Size : 38 - 47.



APPLICATIONS

Airport
Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

ELAN NM870 EXECUTIVE SAFETY SHOES



FEATURES

- Category S3 WRU / SRC / HRO
 - Upper High Quality Smooth Leather
 - Toe Cap Composite Toe Cap
 - Outsole Flexible Heat Resistant Double Density PU Sole
 - Midsole KEVLAR
 - Lining High Quality 3D Mesh
 - Insole Nonwoven Fabric
 - Counter Reinforced Leather
 - Threds 3PLY / 6PLY Nylon
 - Laces Nylon
- European Standard Size : 38 - 47.



APPLICATIONS

- Airport
- Oil field Industries
- Metal Detecting Circuit Area
- Basic Workplace
- Construction & Logistics
- Garage, Mechanics
- Glass Fabrication
- Aluminium Fabrication
- Farming, Food Industries
- Facility Management
- Electronic Factories.

ELAN EC333 EXECUTIVE SAFETY SHOES



FEATURES

Category	S3 WRU / SRC / HRO
Upper	High Quality Smooth Leather
Toe Cap	Composite Toe Cap
Outsole	Flexible Heat Resistant Double Density PU Sole
Midsole	KEVLAR
Eyelets	ABS Eyelets
Lining	High Quality 3D Mesh
Insole	Nonwoven Fabric
Counter	Reinforced Leather
Threds	3PLY / 6PLY Nylon
Laces	Nylon
European Standard Size : 38 - 47.	



APPLICATIONS

Airport
Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

ELAN EC444 EXECUTIVE SAFETY SHOES



FEATURES

Category	S3 WRU / SRC / HRO
Upper	High Quality Smooth Leather
Toe Cap	Composite Toe Cap
Outsole	Flexible Heat Resistant Double Density PU Sole
Midsole	KEVLAR
Lining	High Quality 3D Mesh
Insole	Nonwoven Fabric
Counter	Reinforced Leather
Threds	3PLY / 6PLY Nylon
Laces	Nylon
European Standard Size : 38 - 47.	



APPLICATIONS

Airport
Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

ELAN EX780 EXECUTIVE SAFETY SHOES



FEATURES

- Category S3 WRU / SRC / HRO
- Upper High Quality Smooth Leather
- Toe Cap Composite Toe Cap
- Outsole Flexible Heat Resistant Double Density
PU Sole
- Midsole KEVLAR
- Eyelets ABS Eyelets
- Lining High Quality 3D Mesh
- Insole Nonwoven Fabric
- Counter Reinforced Leather
- Threds 3PLY / 6PLY Nylon
- Laces Nylon
- European Standard Size : 38 - 47.



APPLICATIONS

- Airport
- Oil field Industries
- Metal Detecting Circuit Area
- Basic Workplace
- Construction & Logistics
- Garage, Mechanics
- Glass Fabrication
- Aluminium Fabrication
- Farming, Food Industries
- Facility Management
- Electronic Factories.

ELAN EX870

EXECUTIVE SAFETY SHOES



FEATURES

Category	S3 WRU / SRC / HRO
Upper	High Quality Smooth Leather
Toe Cap	Composite Toe Cap
Outsole	Flexible Heat Resistant Double Density PU Sole
Midsole	KEVLAR
Lining	High Quality 3D Mesh
Insole	Nonwoven Fabric
Counter	Reinforced Leather
Threds	3PLY / 6PLY Nylon
Laces	Nylon
European Standard Size : 38 - 47.	



APPLICATIONS

Airport
Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

ELAN STYLO

EXECUTIVE SAFETY SHOES



FEATURES

ELAN STYLO ST 291	
Category	S3 WRU / SRC / HRO
Upper	High Quality Smooth Leather
Toe Cap	Composite Toe Cap
Outsole	Flexible Heat Resistant Double Density PU Sole
Midsole	KEVLAR
Eyelets	ABS Eyelets
Lining	High Quality 3D Mesh
Insole	Nonwoven Fabric
Counter	Reinforced Leather
Threds	3PLY / 6PLY Nylon
Laces	Nylon

APPLICATIONS

Airport
Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.



ELAN STYLO

EXECUTIVE SAFETY SHOES



FEATURES

ELAN STYLO ST 290	
Category	S3 WRU / SRC / HRO
Upper	High Quality Smooth Leather
Toe Cap	Composite Toe Cap
Outsole	Flexible Heat Resistant Double Density PU Sole
Midsole	KEVLAR
Lining	High Quality 3D Mesh
Insole	Nonwoven Fabric
Counter	Reinforced Leather
Threds	3PLY / 6PLY Nylon
Laces	Nylon



APPLICATIONS

Airport
Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

ELAN PLUS PL501 EXECUTIVE

SAFETY SHOES



FEATURES

Category	S3 WRU / SRC / HRO
Upper	Oil Tan Leather
Toe Cap	Composite Toe Cap
Outsole	Flexible Heat Resistant Double Density PU Sole
Midsole	KEVLAR
Eyelets	ABS Eyelets
Lining	High Quality 3D Mesh
Insole	Nonwoven Fabric
Counter	Reinforced Leather
Threds	3PLY / 6PLY Nylon
Laces	Nylon
European Standard Size : 38 - 47.	



APPLICATIONS

Airport
Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

ELAN RELAXO

EXECUTIVE SAFETY SHOES



FEATURES

ELAN RELAXO RL 502

Category S3 WRU / SRC / HRO

Upper High Quality Leather

Toe Cap Composite Toe Cap

Outsole Dual Colour Flexible Heat Resistant
PU Sole

Midsole KEVLAR

Lining High Elastic Lyura Lining

Insole High Comfortable & Washable Insole

Counter Reinforced Leather

Threds 3PLY / 6PLY Nylon

European Standard Size : 38 - 47.



APPLICATIONS

Airport

Oil field Industries

Metal Detecting Circuit Area

Basic Workplace

Construction & Logistics

Garage, Mechanics

Glass Fabrication

Aluminium Fabrication

Farming, Food Industries

Facility Management

Electronic Factories.

WORKSAFE

SPORTY SAFETY SHOES



FEATURES

Low Ankle LSW601
Category S3
Upper Flynit Washable Material
Toe Cap Composite Toe Cap
Outsole EVA Outsole
Midsole KEVLAR
Eyelets ABS Eyelets
Lining High Quality 3D Air Mesh
Insole Air Cooled Memory Form Insole
European Standard Size : 38 - 47



APPLICATIONS

Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.

CORE VI LITE

SPORTY
SAFETY SHOES



FEATURES

CORE VI LITE - CVL

Category S3

Upper Mesh and Sued

Toe Cap Steel Toe Cap

Outsole Highly Flexible PU Sole

Midsole KEVLAR

Lining High Quality 3D Air Mesh

Insole High Poly Shock Absorbtion

European Standard Size : 38 - 47.



APPLICATIONS

Oil field Industries

Metal Detecting Circuit Area

Basic Workplace

Construction & Logistics

Garage, Mechanics

Glass Fabrication

Aluminium Fabrication

Farming, Food Industries

Facility Management

Electronic Factories.

ELAN ACE

SPORTY
SAFETY SHOES



FEATURES

ELAN ACE BF 546

Category S3

Upper Flynit Washable Material

Toe Cap Composite Toe Cap

Outsole EVA Outsole

Midsole KEVLAR

Eyelets ABS Eyelets

Lining High Quality 3D Air Mesh

Insole Air Cooled Memory Form Insole

European Standard Size : 38 - 47.



APPLICATIONS

Oil field Industries

Metal Detecting Circuit Area

Basic Workplace

Construction & Logistics

Garage, Mechanics

Glass Fabrication

Aluminium Fabrication

Farming, Food Industries

Facility Management

Electronic Factories.

ELAN EAZE

SPORTS SAFETY SHOES



FEATURES

ELAN EAZE CF 646

Category S3

Upper Flynit Washable Material

Toe Cap Composite Toe Cap

Outsole EVA Outsole

Midsole KEVLAR

Eyelets ABS Eyelets

Lining High Quality 3D Air Mesh

Insole Air Cooled Memory Form Insole

European Standard Size : 38 - 47.



APPLICATIONS

Oil field Industries

Metal Detecting Circuit Area

Basic Workplace

Construction & Logistics

Garage, Mechanics

Glass Fabrication

Aluminium Fabrication

Farming, Food Industries

Facility Management

Electronic Factories.

CORE VI RAPTOR SPORTY

SAFETY SHOES



FEATURES

- Category S3
Upper High Quality Suede Leather
Toe Cap Steel Toe Cap
Outsole Heat Resistant Rubber Outsole
Midsole KEVLAR
Eyelets ABS Eyelets
Lining High Quality 3D Mesh
Insole High Poly Shock Absorption
European Standard Size : 38 - 47.



APPLICATIONS

Oil field Industries
Metal Detecting Circuit Area
Basic Workplace
Construction & Logistics
Garage, Mechanics
Glass Fabrication
Aluminium Fabrication
Farming, Food Industries
Facility Management
Electronic Factories.



ANATOMY OF SAFETY SHOES



LIMA SAFETY PRODUCTS

élan


ONGUARD

core vi


WORK SAFE


SAFETY PLUS

STYLO


GRIT

LIMA
SAFETY PRODUCT

Lima Safety Products | www.limasafety.com | mesafety@limasafety.com

+971 56 196 3244 056 196 3234 065741033